

ARKANSAS RICE



Dr. Chuck Wilson, Dr. Rick Cartwright, Dr. Gus Lorenz, and Scott Stiles

August 5, 2010

No. 2010 – 14R

INTRODUCTION – The Arkansas Rice Newsletter is published periodically to provide updates, alerts, and recommendations for rice production in Arkansas. If you know of someone who would like to be added to the e-mail list, please send an e-mail to: cwilson@uaex.edu.

I have set up a blog to distribute information in addition to the newsletter. If you are interested, you can visit the blog at <http://arkansasrice.blogspot.com>

RICE FIELD DAY NEXT WEEK! –

The University of Arkansas Rice Research and Extension Center will host its annual Rice Field Day on Wednesday, August 11, 2010 beginning at 7:30 am. There will be one field tour with departure times of 7:30, 8:00, 8:30, and 9:00 am. Topics on the tour include hybrid rice breeding, nitrogen soil test for rice, soybean production, rice weed management, rice disease management, and new rice varieties. Come and see our new laboratory and office facility and check out new technology in rice.



CROP CONDITION AND PROGRESS –


As of August 2, the USDA reports that 74% of the crop is heading and a couple of fields have been harvested. This compares to 57% heading last week, 28% this time last year, and a 5-year average of 39% for this week. Arkansas rice does not normally begin heading in June nor is it normally harvested in July. The first rice harvested in Arkansas that I am aware of was on July 30. Harvest has begun in some areas this week and will get going strong in about 2 weeks. As of August 2, 18% of the crop is reported to be in excellent condition, 44% good, 31% fair, 6% poor, and 1% very poor.

Average temperatures for the week ending August 2 ranged from 0 to 5 degrees above normal. The temperatures ranged from a low of 68 degrees at Gilbert and Calico Rock to a high of 104 degrees in Camden, with several locations exceeding 100 degrees. Rainfall for the week ending August 2 ranged from none at several locations to a high of 3.2 inches at Hot Springs. Overall, soil moisture supplies were 13% very short, 56% short, 29% adequate, and 2% surplus.

U.S. Drought Monitor
South

July 27, 2010
Valid 7 a.m. EST

	Drought Conditions (Percent Area)						
	None	D0-D4	D1-D4	D2-D4	D3-D4	D4	
Current	74.6	25.4	11.6	4.9	1.6	0.0	
Last Week (8/7/2010 map)	72.7	27.3	12.0	4.4	1.4	0.0	
3 Months Ago (5/5/04/2010 map)	80.7	19.3	3.3	0.0	0.0	0.0	
Start of Calendar Year (1/1/02/2010 map)	86.3	13.7	3.5	1.2	0.0	0.0	
Start of Water Year (11/01/2009 map)	81.9	18.1	11.3	7.3	3.4	0.7	
One Year Ago (8/7/09/2009 map)	51.8	48.2	25.8	16.5	12.5	9.5	



Intensity:
 D0 Abnormally Dry D3 Drought - Extreme
 D1 Drought - Moderate D4 Drought - Exceptional
 D2 Drought - Severe

The Drought Monitor focuses on broad-scale conditions. Local conditions may vary. See accompanying text summary for forecast statements

<http://drought.unl.edu/dm>



Released Thursday, July 29, 2010
Author: D. Miskus, CPC/NOAA

The extended heat and dry weather have caused a significant strain on the irrigation capacity across

Visit our web site at : <http://www.uaex.edu>

University of Arkansas, United States Department of Agriculture and County Governments Cooperating.

The Arkansas Cooperative Extension Service offers its programs to all eligible persons regardless of race, color, national origin, sex, age, or disability, and is an Equal Opportunity Employer.

ARKANSAS RICE



Dr. Chuck Wilson, Dr. Rick Cartwright, Dr. Gus Lorenz, and Scott Stiles

the Delta. Rice fields have spots (some large, some small) that are burning because the well is unable to keep up with the dry weather. Officially, most of Eastern and Southern Arkansas is “moderate drought”, parts of Southeast Arkansas is in “Severe drought”.

IS IT TIME TO DRAIN YET?

I realize that several farmers have already started draining. However, I thought this might be helpful in light of the heat and drought conditions we are currently experiencing. Farmers are always interested in when I can quite spending money on irrigation and begin to prepare for harvest. This has been especially true this year in light of the high input costs already paid out for this crop. For the majority of the rice acreage, we recommend draining 25-28 days after 50% heading. This generally corresponds to the time when the heads have all turned down and most of the panicles have changed color at least half way down the panicle. The photos below illustrate what rice typically looks like 25 days after 50% heading. The three panicles in the second photograph were taken from the plot in the first photograph.



Research varies on the effects of earlier draining but some studies have reported yield losses as much as 10% when drained too early. Remember in this heat, soils dry quickly. Don't over estimate the amount of time it will take for the soils to dry. One option to help reduce pumping costs is to establish a good flood 14 days after 50% heading and then let the field dry down. This works for some growers but others have indicated that removing levee gates is too difficult if the fields dry out before drain time. In hot, dry years like this year, you still may need to flush through the fields if you don't get any rainfall to help the crop to mature. If you routinely must rut the field in order to get the rice harvested on time because the fields do not dry enough, earlier draining is a feasible option. This is usually the case on most heavy clay fields.

WILL SODIUM CHLORATE HURT MY RICE?

Sodium chlorate is commonly used to desiccate green foliage and weeds present in rice fields to increase harvest efficiency. The general guidelines are to apply sodium chlorate at 3 to 6 pounds a.i. per acre when rice grain is near 25 percent moisture and harvest within 3 to 7 days

Visit our web site at : <http://www.uaex.edu>

University of Arkansas, United States Department of Agriculture and County Governments Cooperating.

The Arkansas Cooperative Extension Service offers its programs to all eligible persons regardless of race, color, national origin, sex, age, or disability, and is an Equal Opportunity Employer.

ARKANSAS RICE



Dr. Chuck Wilson, Dr. Rick Cartwright, Dr. Gus Lorenz, and Scott Stiles

after application. Although sodium chlorate is typically used to desiccate the vegetation, grain moisture is also reduced. Research suggests that when used properly sodium chlorate does not reduce head rice yield. However, application of sodium chlorate at 6 pounds a.i. per acre significantly reduced grain moisture by 2 to 5 percent within four days after application. Head rice yields may decline if grain moisture drops below 15 percent before the grain is harvested. Thus, sodium chlorate should be applied to rice that is between 18 and 25 percent moisture with timely harvest following application. Use of sodium chlorate on seed production fields is sometimes needed. Research has shown that sodium chlorate does not influence germination of the resulting seed.



Desiccation of rice foliage is noticeable within 36 hours after application, especially when temperatures are high. The photo above was taken less than 48 hours after application. The treated plots are very apparent and desiccation was very effective. Sodium chlorate may reduce head rice and grain yield if applied too early, before grain fill is complete. Do not apply to rice when the moisture is above 25%. Growers should exercise caution when considering sodium chlorate application to fields with uneven maturity to avoid yield and quality losses.

UPCOMING EVENTS

Randolph/Lawrence County Field Tour – Pocahontas, AR – August 6, 2010. Contact: Herb Ginn (870-759-1659)

Western Clay County Crop Tour – Corning, AR – August 10, 2010. Contact: Ron Baker (870-857-6875)

Rice Field Day – Rice Research and Extension Center – Stuttgart, AR – August 11, 2010. Program starts at 7:30 am. Contact: Dr. Chris Deren (870-673-2661)

Lafayette County Crop Tour – August 12, 2010. Contact Joe Vestal (870-921-4744)

Jackson County Crop Tour – Newport, AR – August 13, 2010. Contact: Randy Chlapecka (870-523-7450)

St. Francis County Crop Tour – Blackfish Lake – August 24, 2010. Contact: Mitch Crow (870-261-1730).

Other Field Days

Cache River Valley Seed Field Day – Cash, AR – August 18, 2010

ACKNOWLEDGMENTS

We sincerely appreciate the support provided by the Arkansas Rice Research and Promotion Board for this publication. The recommendations presented in this publication are the result of research funded in part by rice check-off funds.

Visit our web site at : <http://www.uaex.edu>

University of Arkansas, United States Department of Agriculture and County Governments Cooperating.

The Arkansas Cooperative Extension Service offers its programs to all eligible persons regardless of race, color, national origin, sex, age, or disability, and is an Equal Opportunity Employer.

U of A UNIVERSITY OF ARKANSAS
DIVISION OF AGRICULTURE
Cooperative Extension Service

ARKANSAS RICE



Dr. Chuck Wilson, Dr. Rick Cartwright, Dr. Gus Lorenz, and Scott Stiles



The authors greatly appreciate the feedback and contributions of all growers, county agents, consultants, and other rice industry people.

Visit our web site at : <http://www.uaex.edu>

University of Arkansas, United States Department of Agriculture and County Governments Cooperating.

The Arkansas Cooperative Extension Service offers its programs to all eligible persons regardless of race, color, national origin, sex, age, or disability, and is an Equal Opportunity Employer.